UniCure Prep Station

American Made!





Curtain Walls Available



Shown with Optional Ceiling



Double Prep Station Shown

UniCure Prep Stations are the ultimate in Semi-downdraft prep areas. This work horse can be a basic prep area that provides recirculated, filtered air for sanding, buffing, or other preparation work. It is also fully customizable with curtain walls, full ceiling with lights, and necessary equipment to become a paint and prep station. The exhaust damper allows for full exhaust during spray mode and recirculation during prep mode. A heated air make-up system can also be added for additional functionality.

UniCure Prep Stations can be installed on your existing floor. There is no need for in floor pits.

UniCure makes the largest and best functioning prep stations on the market today.

Specifications: UniCure Prep Model 812 UniCure Prep Model 1015 UniCure Prep Model 1520



INTERSTATE MARKETING CORPORATION

104 Spence Lane, Nashville, TN 37210

Your Collision Repair Equipment Headquarters

Call Toll Free: 1-800-868-3033 • TN (615) 889-3330 e-mail: unicure@spraybooths.com • www.spraybooths.com



UniCure Prep Model 812 • Unicure Prep Model 1015 • Unicure Prep Model 1520

Specifications:

| Model #812 8' x 12' | Model #1015 10' x 15' | Model #1520 15' x 20' |
|--------------------------------------------------|-------------------------------------------------|-----------------------------------------------|
| Base: 8' Width 3' Depth 8' Height | Base: 10' Width 3' Depth 8' Height | Base: 15' Width 4' Depth 8' Height |
| Return: 12' Width 30" Depth 30" Height | Return: 15' Width 30" Depth 30" Height | Return: 20' Width 4' Depth 4' Height |
| Return Duct Size: 35" x 24" | 35" x 24" | 48" x 24" |
| Exhaust Duct Size: 24" | 30" | 34" |
| Splitter to Return or Exhaust the Air Yes | Yes | Yes |
| Work Area Length: 20' Work Area Height: 9' | 24' 9' | 24' 9' |
| Fan = Belt Driven, Tubeaxle, Aluminum 24" | Blades 30" | 34" |
| Motor = 3 Phase, Special Order 1 Phase 2 HP E.P. | 3 HP E.P. | 5 HP E.P. |
| CFM at 1/2" Static Pressure 9,000 | 11,000 | 16,000 |
| Return Filter Rack Hinged-Swing Down | | |
| Return Filter 2" Polyester with Tack. | | |
| Base Pre-Filter: 2" - 22 Gram Fiberglass | 3 10' | 15' |

UniCure Spraybooths • 104 Spence Lane • Nashville, Tennessee 37210 • Call toll free: 1-800-868-3033 • e-mail: unicure@spraybooths.com